

STRUB Vulcan Grind CF GtL Series

GtL based, chlorine-free high-performance grinding oil

Description

STRUB Vulcan Grind CF GtL is a chlorine-free high-performance grinding oil based on GtL base oils. Due to its composition, this grinding oil has optimum flushing and cooling properties, which enable high surface qualities and tool life. The result is no burn marks on the workpiece and no sticking / deposits on the grinding wheel.

Application

Suitable for all grinding operations of all materials.

Features and advantages

- extended service life of the grinding wheels with simultaneous high surface quality
- excellent flushing effect and sedimentation
- high cooling effect
- low evaporation loss
- excellent filterability
- low foaming and oil mist
- physiologically and ecotoxicologically harmless

Technical data

Article Art.-No.			5 33621	7 33615	10 33622
Color	DIN ISO 2049 DIN 51757-1	-	colorless	colorless	colorless
Density at 20°C	DIN EN ISO	g/cm ³	0.795	0.802	0.808
kin. Viscosity at 40°C	3104	mm ² /s	5.3	7.3	10.1
Flash point COC	DIN EN ISO	°C	148	170	191
Copper corrosion	2592 DIN ISO 2160	-	1a	1a	1a

Transport

ADR/SDR No dangerous goods

Disposal

LVA VeVA / EAK: 12 01 07

The information in this technical data sheet is based on general knowledge and application possibilities. STRUB + Co. AG is not liable for damage resulting from improper use of the products. The industry-standard measurement and production tolerances apply to the specified characteristic. Generally, no legal binding can be derived from these data. Our products are subject to continuous further development. Therefore, STRUB + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.